

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	metadata near10 enterprise adj application adj integration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:27
S2	11	enterprise adj application adj integration adj3 framework	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 18:45
S3	308	enterprise adj information adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 18:54
S4	8	(S1 or S2) and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 10:35
S5	0	metadata adj ware adj adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:15
S6	17	metadata adj3 adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 18:56
S7	6	S6 and repository	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 18:56
S8	5	S7 not (S1 or S2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 18:56
S9	17	metadata adj3 adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 10:34

S10	3	metadata near10 enterprise adj application adj integration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 10:35
S11	11	enterprise adj application adj integration adj3 framework	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 10:35
S12	308	enterprise adj information adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:14
S13	8	(S10 or S11) and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 10:35
S14	17	metadata adj3 adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 10:36
S15	10	S14 and adapter.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 10:36
S18	0	metadata near5 aware and adapter and connector and J2EE and(@AD < "20010601" or @RLAD <"20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:19
S19	103	enterprise adj information adj system and (@AD < "20010601" or @RLAD <"20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 17:49
S20	19	S19 and adapter and connector and J2EE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 17:05
S21	2	S20 and sun.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:20

S22	0	S19 and (high same low) adj3 level adj3 call	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:29
S23	0	("709"/\$3 or "707"/\$7 or "719"/\$7 or "718"/\$7 or "710"/\$7).ccls. and (high same low) adj3 level adj3 call and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:49
S24	16	(high same low) adj3 level adj3 call and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 17:14
S25	0	S24 and (high same low) adj3 level adj3 call with transform\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:32
S26	29	("709"/\$3 or "707"/\$7 or "719"/\$7 or "718"/\$7 or "710"/\$7).ccls. and (connector and adapter and J2EE) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 15:49
S27	20	("709"/\$3 or "707"/\$7 or "719"/\$7 or "718"/\$7 or "710"/\$7).ccls. and object with (high-level or appliction) adj5 (call or function) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:51
S29	7	("709"/\$3 or "707"/\$7 or "719"/\$7 or "718"/\$7 or "710"/\$7).ccls. and object with (high-level or appliction) adj5 (call or function or program or routine) and (low-level or API) adj5 (call or function or program or routine) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:54
S30	0	S26 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 15:49
S31	5	((("6,523,040") or ("6,182,123") or ("6,381,742") or ("6,701,383") or ("6108715")).PN. or ((2002./0194130) or (2003/0208556) or (2002/0059114) or (2001/0025264)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/09/06 17:10

S32	10	((("6788649") or ("6148336") or ("5970490") or ("6721777") or ("6832238") or ("20030172135") or ("20020032783") or ("6701383") or ("6108715") or ("6182123"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/09/06 17:14
S33	8	S32.and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 17:14
S34	3	(high or low) adj3 level adj3 (function or call or program or routine) and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 17:15
S35	3	S33 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 17:15
S36	636	("707"/\$7 or "709"/\$7 or "719"/\$7 or "718"/\$6).ccls. and object near10 specif\$4 near10 (accord\$3 or based or correspond\$3 or use or using or used) with (application or call or function) and (@AD < "20010601" or @RLAD <"20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 18:22
S37	86	("707"/\$7 or "709"/\$7 or "719"/\$7 or "718"/\$6).ccls. and (transformed or transforming or transformation) with (API or (high and low) adj3 (function or call or routine or program or instruction)) and (@AD < "20010601" or @RLAD <"20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 18:30
S38	14	S36 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 18:31
S39	14	S38 and (server or container or data adj base or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 18:11
S40	14	S39 and (adapter or connector or interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 18:11

S41	495	("707"/\$7 or "709"/\$7 or "719"/\$7 or "718"/\$6).ccls. and (translat\$3 or transformed or transforming or transformation) with (API or (high and low) adj3 (function or call or routine or program or instruction)) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 18:16
S42	3	("707"/\$7 or "709"/\$7 or "719"/\$7 or "718"/\$6).ccls. and (translat\$3 or transformed or transforming or transformation) with ((high and low) adj3 (function or call or routine or program or instruction)) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 18:22
S43	31	(translat\$3 or transformed or transforming or transformation) with ((high and low) adj3 (function or call or routine or program or instruction)) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 08:08
S44	1	S43 and object near10 specif\$4 near10 (accord\$3 or based or correspond\$3 or use or using or used) with (application or call or function) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 18:22
S45	93	("707"/\$7 or "709"/\$7 or "719"/\$7 or "718"/\$6).ccls. and (transformed or transforming or transformation) with (API or (high or low) adj3 (function or call or routine or program or instruction)) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 18:30
S46	15	S36 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 18:31
S47	1	S46 not S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 18:31

S48	21	(translat\$3 or transformed or transforming or transformation or convert\$3 or conversion) adj5 object near10 high adj3 (function or call or routine or program or instruction) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 08:13
S49	2	(implement\$3 or execut\$3 or perform\$3) adj5 object near10 low adj3 (function or call or routine or program or instruction or API) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 08:14
S50	10067	(implement\$3 or execut\$3 or perform\$3) adj5 object near10 (function or call or routine or program or instruction or API) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 08:14
S51	9	S48 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 12:25
S52	21	(translat\$3 or transformed or transforming or transformation or convert\$3 or conversion) adj5 object near10 high adj3 (function or call or routine or program or instruction) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:37
S53	10067	(implement\$3 or execut\$3 or perform\$3) adj5 object near10 (function or call or routine or program or instruction or API) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 12:29
S54	9	S52 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 12:25
S55	253	(implement\$3 or execut\$3 or perform\$3) adj5 object near10 (low adj3 (function or call or routine or program or instruction) or API) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:04

S56	0	S52 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 12:30
S57	21	(translat\$3 or transformed or transforming or transformation or convert\$3 or conversion or map\$4) adj5 object near10 high adj3 (function or call or routine or program or instruction) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:04
S58	31	(translat\$3 or transformed or transforming or transformation or convert\$3 or conversion or map\$4) adj5 object near10 high adj3 (function or call or routine or program or instruction or service) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:05
S59	253	(implement\$3 or execut\$3 or perform\$3) adj5 object near10 (low adj3 (function or call or routine or program or instruction or service) or API) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:05
S60	0	S58 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:04
S61	6287	(implement\$3 or execut\$3 or perform\$3) near10 (low adj3 (function or call or routine or program or instruction or service) or API) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:05
S62	1161	(translat\$3 or transformed or transforming or transformation or convert\$3 or conversion or map\$4) near10 high adj3 (function or call or routine or program or instruction or service) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:05
S63	56	S61 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:06

S64	2	S63 and (adapter and connector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:06
-----	---	---------------------------------	---	----	----	------------------